




This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



NOTES:



1. REF. EUROCOPTER T/N: 355A94-3440-07.
2. PART OF KIT RBE350A94-3400-04.

3 GRIND FLUSH AFTER INSTALLATION.

RED BARN MACHINE						
TITLE SIGHT PATTERN BEARING BLOCK						
DWG NO. RBE355A94-3440-07 REV						
ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material
			-1	1	BASE	A36
			-3	1	CLEAR SIGHT	POLYCARBONATE
			-5	2	BUSHING	STEEL BACKED BRONZE
		B/O	-7	4	BOLT	STEEL
		B/O	-9	2	WASHER	STEEL
		B/O	-11	2	LRG. WASHER	STEEL
		B/O	-13	4	NUT	STEEL
		B/O	-15	2	DRIVE SCREW	ZINC PLATED STEEL
B/O INFORMATION OR SPECIFICATIONS						PG.
						2
						3
						4
						1
						1
						1
						1
						1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES						APPROVED
.0XX ± .005 FRACTIONS ± 1/32						HEAT TREAT FINISH
.XX ± .01						ANGLES ± .5°
X ± .1						SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R						USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING						AS350, AS355
SCALE 1:2				DATE	9/24/2013	SHEET 1 OF 4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.



REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



RED BARN MACHINE	
TITLE	
DWG NO.	RBE335A94-3440-07-1
REV	
MATL	A36
DRAWN BY:	SMITH
APPROVED	D Weil
UNLESS OTHERWISE SPECIFIED	
DIMENSIONS ARE IN INCHES	
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± .5°
.X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45°	
OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER	
PLATING	
SPEC	QQ-P-416F, TYPE II, CLASS II
USED ON MODEL	
	AS350, AS355
SCALE	1:1
DATE	9/24/2013
SHEET	2 OF 4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.




REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



RED BARN MACHINE	
TITLE	SIGHT PATTERN BEARING BLOCK
DWG NO.	RBE335A94-3440-07-3
MATL	POLYCARBONATE
	DRAWN BY: SMITH
	APPROVED <i>D Weil</i>
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± .5°
.X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	HEAT TREAT FINISH
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SPEC
	USED ON MODEL
	AS350, AS355
SCALE	1:1
DATE	9/24/2013
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(5)  
BUSHING

	RED BARN MACHINE	
TITLE	SIGHT PATTERN BEARING BLOCK	
DWG NO.	RBE355A94-3440-07-5	REV
MATL	STEEL BACKED BRONZE	DRAWN BY: SMITH
	UNLESS OTHERWISE SPECIFIED	APPROVED <i>D Weil</i>
	DIMENSIONS ARE IN INCHES	
	.XXX $\pm$ .005	FRACTIONS $\pm$ 1/32
	.XX $\pm$ .01	ANGLES $\pm$ 5°
	.X $\pm$ .1	
	1. BREAK ALL SHARP EDGES .015 x 45°	
	OR .015R	HEAT TREAT FINISH
	2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SPEC
		USED ON MODEL
		AS350 & AS355
SCALE	4:1	DATE 9/27/2013
		SHEET 4 OF 4